

CLASSIFICATION: N/A

PRODUCT DESCRIPTION: Polyurethane coated fabric for upholstering furniture. Covers 393 Brisa Original Outdoor and 396 Brisa Distressed Outdoor.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Residuals/Impurities
Considered in 0 of 2 Materials

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | **HAZARD TYPE**

BACKCLOTH (TR/ANTIMILDEW) [**POLYETHYLENE TEREPHTHALATE (PET)** **LT-UNK**
RAYON (OBSCURE CASRN, USE 9004-34-6) **NoGS** **TEBUCONAZOLE (FOLICUR)** **LT-**
P1 | **AQU** | **DEL** | **END**] **POLYURETHANE LAYER (PFC)** [**1,3-BENZENEDICARBOXYLIC**
ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-PROPANEDIOL, 2-
ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL, HEXANEDIOIC ACID AND 1,1'-
METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE) **NoGS** **FERRIC OXIDE YELLOW** **LT-**
UNK **FLUORIDE COMPOUNDS, INORGANIC** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Information provided by manufacturing facility.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-10

PUBLISHED DATE: 2019-11-18

EXPIRY DATE: 2021-10-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

BACKCLOTH (TR/ANTIMILDEW)

%: 59.85 - 69.90

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Material is estimated to have noresiduals/impurities over 100ppm based off supplier information.

OTHER MATERIAL NOTES: N/A

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-10-10**

%: **65.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Substrate**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyester. Main component in the backing of this product.

RAYON (OBSCURE CASRN, USE 9004-34-6)

ID: 99331-82-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-10-10**

%: **35.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Substrate**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Main component in the backing of this product.

TEBUCONAZOLE (FOLICUR)

ID: 107534-96-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-10-10**

%: **0.10 - 0.15** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Antimildew**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
DEVELOPMENTAL	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Antimildew

POLYURETHANE LAYER (PFC)

%: **30.00 - 40.00**

MATERIAL THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **No**

RESIDUALS AND IMPURITIES NOTES: **Material is estimated to have no residuals/impurities over 100ppm based off supplier information.**

OTHER MATERIAL NOTES: **N/A**

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL, HEXANEDIOIC ACID AND 1,1'-METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE)

ID: 68258-82-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-10-10**

%: **80.00 - 98.90**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Primary ingredient for polyurethane layer/binder/durability/hand**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyurethane resin. Main component in the polyurethane layer. CAS number given is generic for urethane resin. Actual CAS number is proprietary to the manufacturer and is not disclosed.

FERRIC OXIDE YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-10-10**

%: **1.00 - 20.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Surface appearance/Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Pigment. Add color to polyurethane layer. CAS number given belongsto one representative pigment among various pigments that copose a specific color.

FLUORIDE COMPOUNDS, INORGANIC

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-10-10**

%: **0.10 - 0.15**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Support manufacturing process**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Prevent interim product surface from sticking together during manufacturing process.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

**SCS Indoor Advantage
Gold - Classroom &
Office scenario**

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

http://intranetdev.ultrafabricsllc.com/img/managed/sub_collections/Cert/UltrafabricsInc_2019SCSCertificate.pdf

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2019- 02-07	2020- 02-06	SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: **Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3 -2014e (Credits 7.6.1, 7.6.2, 7.6.3) for seating parameters. Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for seating and school classroom parameters.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Products manufactured by Daiichi Kasei for Ultrafabrics.

MANUFACTURER INFORMATION

MANUFACTURER: **Ultrafabrics, Inc.**
ADDRESS: **303 South Broadway Suite 201**
Tarrytown New York 10591, USA
WEBSITE: <https://www.ultrafabricsinc.com/>

CONTACT NAME: **Janet Kuntz**
TITLE: **Quality Manager**
PHONE: **914 460 1730**
EMAIL: jkuntz@ultrafabricsinc.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.