



Brisa® | Fresco



Combining style and functionality, **Brisa® | Fresco** features a striking texture that is brought to life with a modern color palette that pops. Performance enhancements include EPA-registered antimicrobial protection and a blended backcloth for expanded upholstering capabilities, making this style a resilient choice for a variety of applications.

Additional characteristics include:

- Leading durability (14+ weeks hydrolysis results)
- A breakthrough ventilation system that both elevates comfort by promoting airflow circulation and enhances softness for ultimate seating comfort
- Notable acoustical properties for sound absorption. A unique cellular structure captures and dissipates sound for noise reduction when combined with foam backing or paneling, ideal for busy environments

Fresco is a stylized fabric choice for a variety of busy settings, and is well-suited to the needs of the senses.



Antimicrobial



Breathable

Brisa® | Fresco

General Specifications

Composition:

100% Polycarbonate Polyurethane Surface
65% Polyester, 35% Rayon Backing

Weight:

Approx. 9.3 oz. Per Square Yard
Approx. 315 Grams Per Square Metre

Thickness:

Approx. 1.0 Millimetres

Width:

54 Inches / 137 Centimetres

Performance

Abrasion:

ASTM D4157 / 300,000 Double Rubs (Wyzenbeek)*
BS 2543 / 160,000 Rubs (Martindale)*

*meets or exceeds

Hydrolysis:

14+ Weeks
ASTM D3690-02 Sect. 6.11 (Hydrolytic Stability)
ISO 1419 Method C (Accelerated Ageing)

Adhesion of Coating

ASTM D751

Tear Strength

ASTM D2261

Breaking Strength

ASTM D5034

Air Permeability:

ASTM D737

Antimicrobial:

ASTM E2180

Sound Absorption:

ASTM C423

Colorfastness

Light Fastness:

AATCC 16.3, 200 Hours, Grade 4-5

Crocking:

AATCC 8, Class 5 Wet & Dry

Flammability

F/R Rating:

- ASTM E84 (Adhered) - Class A
- CA TB 117-2013 - Pass
- FMVSS 302 & 95/28 Annex IV - Pass
- NFPA 260 - Class 1
- UFAC - Class 1

Other Tests*:

- ASTM E84 (Unadhered)
- BS 5852 PT 0, 1 & 5 (Crib 5)
- BS 5867 Part 2 Type B
- BS 7175
- California Technical Bulletin 133
- FAR Specifications
- IMO A.652 (16)
- NFPA 701

*These fabrics, when treated and/or used with other compatible furniture components, have been shown to perform under these fire test conditions.

Earth Friendly

• GREENGUARD Certified

- Meets stringent chemical emission limits for various VOCs (ex. Formaldehyde)
- Promotes healthier indoor air quality
- Contributes towards satisfying credits under LEED® and BIFMA

• Compliant with Prop 65

- Less than 100 ppm of EPA-registered antimicrobial treatment
 - No Triclocarban or Triclosan
- No Bisphenol A (BPA)
- No Conflict Minerals
- No Flame Retardants (Halogenated, Brominated: ex. PBDEs)
- No Heavy Metal Stabilizers
- No Plasticizer Phthalates
- No POPs (Persistent Organic Pollutants)
- No PVC (Polyvinyl Chloride)
- No toxic by-products
- Over 99% of solvents recaptured and recycled

For more information on our fabrics, cleaning and care instructions, please visit our website.

